


# Table of Contents

<b>Integration</b> .....	1
<b>Baseline Correction</b> .....	1
<b>Algorithm</b> .....	1
<b>See Also</b> .....	2



# Integration

Open Table or Figure or Fit Plot with initial data and select Processing → Integrate menu item.



## Baseline Correction

If your initial data to be integrated contains a baseline (usually constant or linear), you may want to subtract it from data **before** integrating. (A constant baseline will result in linearly growing integral.)

In such case the algorithm may be the following:

1. Create Fit Plot with your initial table data
2. Add a Fit Curve which simulates the baseline. You may specify a custom equation
3. Specify Fit Interval so that it contains only noise points
4. Fit the data by clicking Fit Sum button
5. Subtract the baseline fitting curve from data by checking Baseline checkbox in curves list
6. Use menu Processing → Integrate to integrate the plotted data without baseline.

## Algorithm

To perform integration you should specify two columns: x and y. Missing values are ignored.

MagicPlot uses [trapezoidal rule](#) to compute the integral:

## See Also

$$I_n = \frac{1}{2} \sum_{i=2}^n (x_i - x_{i-1}) (y_i + y_{i-1}), \quad n=2 \dots N; \quad I_1 = 0$$

- [Data Processing and Auto Recalculation](#)
- [Differentiation](#)

From:

<https://magicplot.com/wiki/> - **MagicPlot Manual**

Permanent link:

<https://magicplot.com/wiki/integration>

Last update: **Thu Jan 14 17:20:17 2021**

