

# Table of Contents

Integration (Pro edition only)

**Baseline Correction**

**Formula**

**See Also**

1

1

1

1



# Integration (Pro edition only)

Open Table or Figure or Plot with initial data and select Processing → Integrate menu item.



## Baseline Correction

If your initial data to be integrated contains a baseline (usually constant or linear), you may want to subtract it from data **before** integrating. (A constant baseline will result in linearly growing integral.)

In such case the algorithm may be the following:

1. Create Fit Plot with your initial table data
2. Add a Fit Curve which simulates the baseline. Usually it is Line Fit Curve. You may specify you own equation (**Pro** only)
3. Specify Fit Interval so that it contains only noise points
4. Fit the data by clicking Fit Sum button
5. Subtract the baseline fitting curve from data by checking Baseline checkbox in curves list
6. Use menu Processing → Integrate to integrate the data without baseline

## Formula

To perform integration you should specify two columns: x and y. Missing values are ignored.

MagicPlot uses [Wtrapezoidal rule](#) to compute the integral:

**See Also**

$$\sum_{i=2}^n \left( x_i - x_{i-1} \right) \left( y_i + y_{i-1} \right), \quad n=2 \dots N; \quad I_1=0$$

- [Differentiation](#)

From:

<https://magicplot.com/wiki/> - **MagicPlot Manual**

Permanent link:

<https://magicplot.com/wiki/integration?rev=1289165995>

Last update: **Sun Nov 8 12:20:32 2015**

