

Table of Contents

Smoothing (Pro edition only)

Parameters

Algorithms

See Also

1


1

1

2

Smoothing (Pro edition only)

Open Table or Figure or Fit Plot with initial data and select Processing → Smooth menu item. The opened processing dialog shows parameters, initial curves (semi-transparent) and smoothed preview.



Parameters

Periodic checkbox applies on calculation of first and last $p/2$ points. When it is set MagicPlot will take missing values from the opposite end (as if the signal is periodic) to calculate first and last $p/2$ points.

Algorithms

Two algorithms are available: Central Moving Average and [Savitzky-Golay method](#).

Central Moving Average

Each value A_k is replaced with p -points average:

$$A_k = \sum_{i=k-p/2}^{k+p/2} a_i$$

If Periodic checkbox is not set the first and last $p/2$ points are calculated with the same symmetrical formula but with less summands.

Savitzky-Golay Filter

A Savitzky-Golay filter essentially performs a local polynomial regression on a series of equally spaced data points. Each data point value is replaced with local polynomial value at this point.

If `Periodic` checkbox is not set, MagicPlot will repeat the values of the first and last points to calculate a polynomial for the first and last $p/2$ points.

See Also

- [Data Processing and Auto Recalculation](#)

From:

<https://magicplot.com/wiki/> - **MagicPlot Manual**

Permanent link:

<https://magicplot.com/wiki/smoothing?rev=1370291983>

Last update: **Sun Nov 8 12:20:34 2015**

